

ES-34SL



Product Data Sheet



Key Features:

- Lightweight and optimised weight balance
- Machined aluminium side plates with easy to use click system for height of cut and grooming brush.
- Two section, smooth aluminium roller
- Cuts four pitches on a single charge
- Rapid two hour recharge
- Screen control adjustment: speed selection, forward/reverse and clip rate.

The ES-34SL is a dedicated, battery powered finishing mower using the latest lithium ion battery technology. Designed with a lightweight chassis and smaller diameter cylinder, it creates the perfect finish for stadia and large turf areas. Click adjustable weile roller and intermediate grooming brush allow for a greater ease of use and control over the final finish.

The machine is fitted with a weather proof colour LCD programmable display and keypad which operates the machine and will feed back information to the operator including ground speed, battery charge level, instructions and much more. This can easily be updated and customised to suit individual customer requirements.

Technical Data

Model:	ES-34SL
Category:	Electric
Cutting Type:	Cylinder - Dedicated
Cutting Width:	34" (860 mm)
Dimensions:	See next page
Weight:	187 kg (w/o grassbox)
Height of Cut:	9 mm - 35 mm
Speed Range:	2.0 - 8.5 km/h
Clip-rate Range:	85 - 140 pm
Grassbox Volume:	200 L

Cylinder Diameter	140 mm
Number of Blades:	8
Rear Roller Diameter:	168 mm
Front Roller Diameter:	89 mm
Power:	Battery - 1.2 kW (cylinder) & 630 W (rear roller)
Battery System:	48 V Lithium Ion
Battery Capacity:	111 Ah (5.7 kWh)
Roller Drive System:	Chain
Cylinder Drive System:	Multi V Belt





ES-34SL



Product Data Sheet

Dimensions



View	Dimension
A	1100 mm
B	1860 mm
C	1290 mm
D	1040 mm



ES-34SL



Product Data Sheet

Options

The table below lists the options available for this machine. Bespoke options can be requested, however these will be subject to Engineering assessment to determine technical feasibility. Additional charges may be applicable.

Group	Number	Description
01 - CHASSIS		No options currently available.
02 - REAR ROLLER	TBC	Rubber Coated Rear Roller This option replaces the standard smooth rear roller for a rubber coated version. Ideal when frequently transporting the mower between sites or over rough ground to reduce damage to the rear roller. Also decreases wet material, such as grass and mud, sticking to it compared to the smooth roller.
03 - FRONT ROLLER	TBC	Smooth Roller This option replaces the standard weile roller with a smooth roller. A smooth roller distributes the machine weight more evenly and is therefore less aggressive on the turf. Use a smooth roller on well maintained level turf, or if your turf is stressed, recently aerated or in soft ground conditions.
04 - HANDLE		No options currently available.
05 - DRIVE / POWER	D153	Charger 3 kW Chargers are not supplied with the mower and must be added as an option. This will charge the machine to full in 2 hours. Can also be supplied as a spare.
06 - CUTTER		No options currently available.
07 - COLLECTION		No options currently available.
08 - OTHER		No options currently available. Note: Trailer seat is <u>not</u> available for this mower.

